

### **PRODUCT FEATURES:**

iMistral Decor with a range of customised shapes, ideal for lighting modern and architectural streets, squares, parks, public areas and entryways.

Decorative patterns highlighted with LEDs offers joy of decor and lighting creativity. BSISQ® LED Module adopted for optimum light distribution.



### **RECOMMENDATIONS FOR THE USER:**

- 1) Before the installation, make sure that there is no voltage.
- 2) Do not touch the fitting when it is working on / switched on
- 3) Do not look at the fitting directly or from a short distance.
- 4) Disconnect / switch off the fitting before changing the lamps

### **NOTES:**


- Technical amendments are reserved.
- CE – Conformity mark
- The manufacturer is then discharged from liability when damage is caused by improper use or installation.
- Clean luminaire regularly with solvent-free cleansers from dirt and deposits. Do not use high pressure cleaners.

1) The gijons are screwed into the anchor.




Maximum 20 mm  
from the rods to  
anchor


3) The prepared anchor is embedded in the concrete and leveled.



2) The incoming energy hoses are drawn to the installation floor and the concrete is poured



4) After the concrete is dried, the energy cable is done.



- 5) -Loosen the setscrews at the bottom of the luminaire and remove the flange from the luminaire.  
-The flange is seated on the anchor and the new inox washer is tightened to the threads.

- 6) Electrical connection is done and luminaire is placed on the flange.

